




CERAM BRIDGE

— Precision Ceramic Solutions —

Index




80X160

> p. 07




120X120

> p. 61



90X90

> p. 99



60X120

> p. 163



20X120

> p. 281

PROFESSIONAL PORCELAIN SURFACES

Porcelain collections for professional projects.

Ceram Bridge presents porcelain tile collections for professional sourcing, specification and project inquiries. The catalogue brings together multiple formats and finishes for residential, commercial, architectural and interior design applications.

Use the collection to review product names, formats and finishes, then contact Ceram Bridge for project pricing, samples, product information and distribution inquiries.

RETAIL · DISTRIBUTION · CONSTRUCTION · DESIGN

Selection | Specification | Projects | Partnership



In the realm of architectural surfaces, some dimensions transcend mere measurement to become statements of uncompromising luxury. The 80x160 cm format creates a broad porcelain canvas with fewer visual interruptions, bringing scale and presence to interior spaces.




80x160

The majestic expanse of limitless luxury

Artico

80X160CM



Artico • 80X160 CM • FULL PULIDO • RECTIFIED



Aurea

80X160CM



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet



Polished



Rectified



AUREA • 80X160 CM • FULL PULIDO • RECTIFIED



Bella

80X160CM





BELLA • 80X160 CM • FULL PULIDO • RECTIFIED




Blue sapphire

80X160CM





BLUE SAPPHIRE • 80X160 CM • FULL PULIDO • RECTIFIED



Dome

80X160CM




DOME • 80X160 CM • FULL PULIDO • RECTIFIED



Eclipse

80X160CM



ECLIPSE • 80X160 CM • FULL PULIDO • RECTIFIED



Elégant gris

80X160CM



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant






InkJet



Polished



Rectified



ELEGANT gris • 80X160 CM • FULL PULIDO • RECTIFIED





Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant








InkJet



Polished



Rectified



ENZO • 80X160 CM • FULL PULIDO • RECTIFIED





Absorption Level
e ≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant





InkJet



Polished



Rectified



IMPERIAL • 80X160 CM • FULL PULIDO • RECTIFIED





Lux grey 80X160CM



Absorption Level
less than 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant







InkJet



Polished



Rectified




LUX GREY • 80X160 CM • FULL PULIDO • RECTIFIED



Nero marquina

80X160CM





NERO MARQUINA • 80X160 CM • FULL PULIDO • RECTIFIED



Petra

80X160CM



PETRA • 80X160 CM • FULL PULIDO • RECTIFIED






FULL PULIDO • RECTIFIED


80X160

Realto

80X160CM





REALTO • 80X160 CM • FULL PULIDO • RECTIFIED



Sandstone

80X160CM



Sandstone • 80X160 CM • FULL PULIDO • RECTIFIED



Statuario marble

80X160CM



Absorption Level
less 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




Inkjet




Polished



Rectified









STATUARIO MARBLE • 80X160 CM • FULL PULIDO • RECTIFIED




Versailles

80X160CM



VERSAILLES • 80X160 CM • FULL PULIDO • RECTIFIED





Cemento beige

80X160CM



Absorption Level
e ≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet



Polished



Rectified



CEMENTO BEIGE • 80X160 CM • MATTE FINISH • RECTIFIED





Cemento grey

80X160CM



Absorption Level
≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




inkJet



Polished



Rectified





CEMENTO GREY • 80X160 CM • MATTE FINISH • RECTIFIED



Calma

80X160CM



CALMA • 80X160 CM • MATTE FINISH • RECTIFIED




MATTE FINISH • RECTIFIED

80X160



Italia crema

80X160CM



ITALIA CREMA • 80X160 CM • MATTE FINISH • RECTIFIED





Italia grey

80X160CM



Absorption Level
less 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet



Polished



Rectified



ITALIA GREY • 80X160 CM • MATTE FINISH • RECTIFIED





MATTE FINISH • RECTIFIED


80X160

Octavia white

80X160CM



OCTAVIA WHITE • 80X160 CM • MATTE FINISH • RECTIFIED



MATTE FINISH • RECTIFIED

80X160

Bologna

80X160CM





BOLOGNA • 80X160 CM • FULL PULIDO • RECTIFIED



Magallanes

80X160CM




MAGALLANES • 80X160 CM • FULL PULIDO • RECTIFIED



Opaline

80X160CM




OPALINE • 80X160 CM • FULL PULIDO • RECTIFIED



Rain Forest Brown

80X160CM



RAIN FOREST BROWN • 80X160 CM • FULL PULIDO • RECTIFIED



Symphony

80X160CM



SYMPHONY • 80X160 CM • FULL PULIDO • RECTIFIED



The generous proportions of our 120x120 cm panels create a sense of uninterrupted elegance, with minimal grout lines that allow the beauty of the porcelain to command attention. Each square meter becomes a statement of intention, a declaration that your space deserves nothing less than extraordinary.






120X120

The grand canvas of luxury

Alvo

120X120CM



Alvo • 120x120 CM • FULL PULIDO • RECTIFIED



Nepal crema 120X120CM



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant





Inkjet




Polished



Rectified






NEPALE CREMA • 120X120 CM • FULL PULIDO • RECTIFIED




Matera

120X120CM



MATERA • 120X120 CM • FULL PULIDO • RECTIFIED



120X120

FULL PULIDO • RECTIFIED

Guapo 120X120CM



Absorption Level
< 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant



InkJet



Polished



Rectified



GUAPO • 120X120 CM • FULL PULIDO • RECTIFIED



120X120

FULL PULIDO • RECTIFIED

Lotus

120X120CM



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet



Polished







Rectified




LOTUS • 120X120 CM • FULL PULIDO • RECTIFIED



Ever Stone 120X120CM



EVER STONE • 120X120 CM • FULL PULIDO • RECTIFIED






FULL PULIDO • RECTIFIED

120X120

Luna

120X120CM




LUNA• 120X120 CM • FULL PULIDO • RECTIFIED




Montessa


120X120CM



MONTESSA • 120X120 CM • FULL PULIDO • RECTIFIED





Nero Belgio 120X120CM



NERO BELGIO • 120X120 CM • FULL PULIDO • RECTIFIED



Noctyra 120X120CM



NOCTYRA • 120X120 CM • FULL PULIDO • RECTIFIED






120X120

FULL PULIDO • RECTIFIED

Regina

120X120CM



REGINA • 120X120 CM • FULL PULIDO • RECTIFIED



120X120

FULL PULIDO • RECTIFIED

silven 120X120CM



SILVEN • 120X120 CM • FULL PULIDO • RECTIFIED




Zellige

120X120CM



ZELLIGUE • 120X120 CM • FULL PULIDO • RECTIFIED




FULL PULIDO • RECTIFIED

120X120







Tesoro Crema 120X120CM




TESORO CREMA • 120x120 CM • FULL PULIDO • RECTIFIED



Concreto 120X120CM



CONCRETO • 120X120 CM • MATTE FINISH • RECTIFIED






120X120 MAT POLI


The grand canvas of luxury

Fendi

120X120CM




FENDI • 120X120 CM • MAT POLI • RECTIFIED




FULL PULIDO • RECTIFIED

120X120



Ivory Velvet 120X120CM




IVORY VELVET • 120X120 CM • MAT POLI • RECTIFIED




Raw Light 120X120CM



RAW LIGHT • 120X120 CM • MAT POLI • RECTIFIED



In the geometry of elegance, the perfect square represents balance, harmony, and infinite possibility. The 90x90 cm format offers precise proportions and a confident visual rhythm for contemporary spaces.




90x90

The perfect square of possibility

UNIKA


90X90CM



UNIKA • 90X90 CM • FULL PULIDO • RECTIFIED



Era white



ERA WHITE • 90X90 CM • FULL PULIDO • RECTIFIED



Crema marfil



Absorption Level
$\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant



InkJet



Polished



Rectified



CREMA MARFIL • 90X90 CM • FULL PULIDO • RECTIFIED



Black grove



Absorption Level
e s 0,5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant









InkJet




Polished




Rectified




BLACK GROVE • 90X90 CM • FULL PULIDO • RECTIFIED



Nice nardo grey




NICE NARDO GREY • 90X90 CM • FULL PULIDO • RECTIFIED



Bali

90X90CM




BALI • 90X90 CM • FULL PULIDO • RECTIFIED



Marmorea grey



MARMOREA GREY • 90X90 CM • FULL PULIDO • RECTIFIED



Nuvola



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant









InkJet



Polished



Rectified



Nuvola • 90X90 CM • FULL PULIDO • RECTIFIED



Mont blanc



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant






InkJet



Polished



Rectified



MONT BLANC • 90X90 CM • FULL PULIDO • RECTIFIED



Soft beige



SOFT BEIGE • 90X90 CM • FULL PULIDO • RECTIFIED



Soft grey



Absorption Level
≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant





InkJet



Polished







Rectified



SOFT GREY • 90X90 CM • FULL PULIDO • RECTIFIED





Tuscania light




TUSCANIA LIGHT • 90X90 CM • FULL PULIDO • RECTIFIED



Akoya Grey






AKOYA GREY • 90X90 CM • FULL PULIDO • RECTIFIED




FULL PULIDO • RECTIFIED

90X90





SUNNY • 90X90 CM • FULL PULIDO • RECTIFIED



90x90

FULL PULIDO • RECTIFIED

Fontana




FONTANA • 90X90 CM • FULL PULIDO • RECTIFIED



FULL PULIDO • RECTIFIED

90X90



BALI • 90X90 CM • FULL PULIDO • RECTIFIED



Aura Nardo



Acoustical Layer
 $\alpha = 0.08\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant



InkJet



Polished



Rectified



AURA NARDO • 90X90 CM • FULL PULIDO • RECTIFIED



FULL PULIDO • RECTIFIED

90X90



Absorption Level
< 0.01%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




Inkjet



Polished



Rectified




BURGUINI • 90X90 CM • FULL PULIDO • RECTIFIED



Calacatta Venicia

- Absorption Level
≤ 0.5%
- Scratch Resistant
- Anti-bacterial
- Wall and Floor
- Glossy
- Porcelain
- Frost Resistant
- InkJet
- Polished
- Rectified



CALACATTA VENICIA • 90X90 CM • FULL PULIDO • RECTIFIED



Mood Beige



Absorption Level
≤ 0.05%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant



Inkjet



Polished







Rectified



MOOD BEIGE • 90X90 CM • FULL PULIDO • RECTIFIED



Panama



PANAMA • 90X90 CM • FULL PULIDO • RECTIFIED



ELITE
RESTAURANT
POOL

city white


90X90CM



CITY WHITE • 90X90 CM • MATT FINISH • RECTIFIED



Panama



PANAMA • 90X90 CM • FULL PULIDO • RECTIFIED





Country beige

90X90CM



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant



InkJet



Polished



Rectified



Country beige • 90X90 CM • MATT FINISH • RECTIFIED



London

90X90CM



LONDON • 90X90 CM • MATT FINISH • RECTIFIED



MATTE FINISH • RECTIFIED

90X90

Marisa dark grey

90X90CM



MARISA DARK GREY • 90X90 CM • MATT FINISH • RECTIFIED




MATTE FINISH • RECTIFIED


90X90

Marisa marfil

90X90CM



MARISA MARFIL • 90X90 CM • MATT FINISH • RECTIFIED




MATTE FINISH • RECTIFIED

90X90

Cecilia light

90X90CM



CECILIA LIGHT • 90X90 CM • MATT FINISH • RECTIFIED



MATTE FINISH • RECTIFIED

90X90

Premium sand 90X90CM



Absorption Level
e ≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet



Polished



Rectified




Premium sand • 90X90 CM • MATT FINISH • RECTIFIED





CUBA • 90X90 CM • MATTE FINISH • RECTIFIED



MATTE FINISH • RECTIFIED

90X90

Italia Crema



Absorption Level
e ≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet




Polished



Rectified



ITALIA CREMA • 90X90 CM • MATTE FINISH • RECTIFIED



The 60x120 cm format balances generous scale with practical versatility. Its rectangular proportions support residential and commercial applications, from living areas and kitchens to bathrooms and project interiors.



60x120

The rectangular motion

Amber



Absorption Level
es 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant





InkJet



Polished







Rectified



AMBER • 60X120 CM • FULL PULIDO • RECTIFIED



oled 60X120CM







OLED • 60X120 CM • FULL PULIDO • RECTIFIED





ARISTO • 60X120 CM • FULL PULIDO • RECTIFIED










BIJOUX • 60X120 CM • FULL PULIDO • RECTIFIED



Black eden



BLACK EDEN • 60X120 CM • FULL PULIDO • RECTIFIED



FULL PULIDO • RECTIFIED

60X120

Calacatta oro



Absorption Level
e ≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet



Polished



Rectified



CALACATTA ORO • 60X120 CM • FULL PULIDO • RECTIFIED



Classico



CLASSICO • 60X120 CM • FULL PULIDO • RECTIFIED



Diamond noir



Absorption Level
es 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant






inkJet



Polished



Rectified



DIAMOND NOIR • 60X120 CM • FULL PULIDO • RECTIFIED




FULL PULIDO • RECTIFIED

60x120

Emeraude bleu



Emeraude bleu • 60X120 CM • FULL PULIDO • RECTIFIED




Emeraude vert




EMERAUDE VERT • 60X120 CM • FULL PULIDO • RECTIFIED






FONTANA • 60X120 CM • FULL PULIDO • RECTIFIED








Loae • 60X120 CM • FULL PULIDO • RECTIFIED





Lumière beige




LUMIERE BEIGE • 60X120 CM • FULL PULIDO • RECTIFIED






MAGIC • 60X120 CM • FULL PULIDO • RECTIFIED





MARBILO • 60X120 CM • FULL PULIDO • RECTIFIED



Prestige



Absorption Level
 $\leq 0.5\%$



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant






InkJet



Polished







Rectified



PRESTIGE • 60X120 CM • FULL PULIDO • RECTIFIED






Renaissance



RENAISSANCE • 60X120 CM • FULL PULIDO • RECTIFIED




Roy grey




ROY GREY • 60X120 CM • FULL PULIDO • RECTIFIED






Roy light






ROY LIGHT • 60X120 CM • FULL PULIDO • RECTIFIED







SWEET • 60X120 CM • FULL PULIDO • RECTIFIED






TINIRI • 60X120 CM • FULL PULIDO • RECTIFIED






VITRO • 60X120 CM • FULL PULIDO • RECTIFIED




Aircano



AIRCANO • 60X120 CM • FULL PULIDO • RECTIFIED




Arcoiris



ARCOIRIS • 60X120 CM • FULL PULIDO • RECTIFIED



Avatar



AVATAR • 60X120 CM • FULL PULIDO • RECTIFIED



Capolino Oro



Absorption Level
e<0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant



Inkjet



Polished






Rectified



CAPOLINO ORO • 60X120 CM • FULL PULIDO • RECTIFIED



Dome Crema







DOME CREMA • 60X120 CM • FULL PULIDO • RECTIFIED




FULL PULIDO • RECTIFIED

60X120



ROYAL • 60X120 CM • FULL PULIDO • RECTIFIED




High Tech



HIGH TECH • 60X120 CM • FULL PULIDO • RECTIFIED




Heaven



HEAVEN • 60X120 CM • FULL PULIDO • RECTIFIED






Azul Latino



AZUL LATINO • 60X120 CM • FULL PULIDO • RECTIFIED




Elegant Gris





ELEGANT GRIS • 60X120 CM • FULL PULIDO • RECTIFIED





MONACO • 60X120 CM • FULL PULIDO • RECTIFIED







SIKA • 60X120 CM • FULL PULIDO • RECTIFIED




Statuario



STATUARIO • 60X120 CM • FULL PULIDO • RECTIFIED




Tuscania Light



TUSCANIA LIGHT • 60X120 CM • FULL PULIDO • RECTIFIED





VENUS • 60X120 CM • FULL PULIDO • RECTIFIED



Turnado Nero






TURNADO NERO • 60X120 CM • FULL PULIDO • RECTIFIED



Brume de luxe

60X120CM



BRUME DE LUXE • 60X120 CM • MATTE FINISH • RECTIFIED



MATTE FINISH • RECTIFIED

60X120

Calacatta white

60X120CM




CALACATTA WHITE • 60X120 CM • MATTE FINISH • RECTIFIED




Carrara

60X120CM



CARRARA • 60X120 CM • MATTE FINISH • RECTIFIED



Harmony

60X120CM




HARMONY • 60X120 CM • MATTE FINISH • RECTIFIED



Theia

60X120CM




THEIA • 60X120 CM • MATTE FINISH • RECTIFIED



Opal crema

60X120CM






OPAL CREMA • 60X120 CM • MATTE FINISH • RECTIFIED




Opal moka

60X120CM



OPAL MOKA • 60X120 CM • MATTE FINISH • RECTIFIED



Palma

60X120CM



Absorption Level
e ≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




inkJet




Polished



Rectified






PALMA • 60X120 CM • MATTE FINISH • RECTIFIED



Perla

60X120CM



PERLA • 60X120 CM • MATTE FINISH • RECTIFIED



Vienna light

60X120CM



Absorption Level
e ≤ 0.5%



Scratch Resistant



Anti-bacterial



Wall and Floor



Glossy



Porcelain



Frost Resistant




InkJet



Polished



Rectified



VIENNA LIGHT • 60X120 CM • MATTE FINISH • RECTIFIED



Ciment Gris

60X120CM



CIMENT GRIS • 60X120 CM • MATTE FINISH • RECTIFIED



Country Beige

60X120CM







COUNTRY BEIGE • 60X120 CM • MATTE FINISH • RECTIFIED



Hard Stone

60X120CM






HARD STONE • 60X120 CM • MATTE FINISH • RECTIFIED



Hard Stone Brown

60X120CM






HARD STONE BROWN • 60X120 CM • MATTE FINISH • RECTIFIED




Hard Stone Grey

60X120CM



HARD STONE GREY • 60X120 CM • MATTE FINISH • RECTIFIED





MATTE FINISH • RECTIFIED

60X120



Julia Crema

60X120CM




JULIA CREMA • 60X120 CM • MATTE FINISH • RECTIFIED



LAND 60X120CM




LAND • 60X120 CM • MATTE FINISH • RECTIFIED





Silvia Grey

60X120CM



SILVIA GREY • 60X120 CM • MATTE FINISH • RECTIFIED




Drawing on the visual rhythm of classic parquet, the 20x120 cm format brings linear wood-look character to modern interiors while retaining the material qualities of porcelain.



20x120


The timeless elegance of linear luxury

Wood beige 20X120CM



WOOD BEIGE • 20X120 CM • MATTE FINISH • RECTIFIED





Wood chêne

20X120CM




WOOD CHÊNE • 20X120 CM • MATTE FINISH • RECTIFIED






Wood honey

20X120CM



WOOD HONEY • 20X120 CM • MATTE FINISH • RECTIFIED





Wood brown 20X120CM



WOOD BROWN • 20X120 CM • MATTE FINISH • RECTIFIED





Liège blanc 20X120CM



Liège blanc • 20X120 CM • MATTE FINISH • RECTIFIED






Liège perle

20X120CM



LIEGE PERLE • 20X120 CM • MATTE FINISH • RECTIFIED





Liège grey

20X120CM



Liège grey • 20X120 CM • MATTE FINISH • RECTIFIED





Liège marron

20X120CM



LIEGE MARRON • 20X120 CM • MATTE FINISH • RECTIFIED






20x120

MATTE FINISH • RECTIFIED

Liège rojo 20X120CM



LIEGE ROJO • 20X120 CM • MATTE FINISH • RECTIFIED





Liège beige

20X120CM



LIEGE BEIGE • 20X120 CM • MATTE FINISH • RECTIFIED





Leo dark 20X120CM



LEO DARK • 20X120 CM • MATTE FINISH • RECTIFIED





Leo forest 20X120CM



LEO FOREST • 20X120 CM • MATTE FINISH • RECTIFIED





MATTE FINISH • RECTIFIED


20X120

Leo light 20X120CM



LEO LIGHT • 20X120 CM • MATTE FINISH • RECTIFIED





Leo mokka

20X120CM



LEO NATUREL • 20X120 CM • MATTE FINISH • RECTIFIED






Leo olivier 20X120CM



LEO CREMA • 20X120 CM • MATTE FINISH • RECTIFIED





Leo acajou 20X120CM



LEO ACAJOU • 20X120 CM • MATTE FINISH • RECTIFIED





Leo LIGHT 20X120CM



LEO LIGHT • 20X120 CM • MATTE FINISH • RECTIFIED







FICHES TECHNIQUES • TECHNICAL DATA SHEETS

Caractéristique technique	Norme ou référentiel	Spécification de la norme		Résultats
Dimension	NF EN ISO 10545-2	N ≥ 15 cm		60 cm
Longueur / Largeur		± 0.60 %	± 2.00 mm	Conforme
Epaisseur		± 5.00 %	± 0.50 mm	Conforme
Rectitude des arêtes		± 0.50 %	± 1.50 mm	Conforme
Angularité		± 0.50 %	± 2.00 mm	Conforme
Courbure centrale		± 0.50 %	± 2.00 mm	Conforme
Courbure latérale		± 0.50 %	± 2.00 mm	Conforme
Voile		± 0.50 %	± 2.00 mm	Conforme
Absorption d'eau	NF EN ISO 10545-3	0.5 % MAX 0.6 %		0.03 %
Résistance à la flexion	NF EN ISO 10545-4	Force de rupture : ≥ 1300 N		≥ 4700
		Valeur min moyenne : 35 N/mm²		53 N/mm²
		Valeur min individuelle : 32 N/mm²		52 N/mm²
Résistance à l'abrasion de surface	NF EN ISO 10545-7	PEI Classe 1-5		3
Résistance thermique linéaire	NF EN ISO 10545-8	Résistant		Conforme
Résistance au choc thermique	NF EN ISO 10545-9	Résistant		Conforme
Résistance au tressaillage	NF EN ISO 10545-11	Résistant		Conforme
Résistance au gel	NF EN ISO 10545-12	Résistant		Conforme
Résistance aux acides et bases	NF EN ISO 10545-13	Résistant		Conforme
Résistance aux taches	NF EN ISO 10545-14	Résistant		Conforme
Echelle mohs	/	/		Conforme
Glissance	/	/		Conforme

90x90 cm

MATTE

Porcelaine

Epaisseur = 11.4 mm

Mate

Caractéristique technique	Norme ou référentiel	Spécification de la norme		Résultats
Dimension	NF EN ISO 10545-2	N ≥ 15 cm		60 cm
Longueur / Largeur		± 0.60 %	± 2.00 mm	Conforme
Epaisseur		± 5.00 %	± 0.50 mm	Conforme
Rectitude des arêtes		± 0.50 %	± 1.50 mm	Conforme
Angularité		± 0.50 %	± 2.00 mm	Conforme
Courbure centrale		± 0.50 %	± 2.00 mm	Conforme
Courbure latérale		± 0.50 %	± 2.00 mm	Conforme
Voile		± 0.50 %	± 2.00 mm	Conforme
Absorption d'eau	NF EN ISO 10545-3	0.5 % MAX 0.6 %		0.03 %
Résistance à la flexion	NF EN ISO 10545-4	Force de rupture : ≥ 1300 N		≥ 4700
		Valeur min moyenne : 35 N/mm ²		53 N/mm ²
		Valeur min individuelle : 32 N/mm ²		52 N/mm ²
Résistance à l'abrasion de surface	NF EN ISO 10545-7	PEI Classe 1-5		4
Résistance thermique linéaire	NF EN ISO 10545-8	Résistant		Conforme
Résistance au choc thermique	NF EN ISO 10545-9	Résistant		Conforme
Résistance au tressillage	NF EN ISO 10545-11	Résistant		Conforme
Résistance au gel	NF EN ISO 10545-12	Résistant		Conforme
Résistance aux acides et bases	NF EN ISO 10545-13	Résistant		Conforme
Résistance aux taches	NF EN ISO 10545-14	Résistant		Conforme
Echelle mohs	/	/		Conforme

Caractéristique technique	Norme ou référentiel	Spécification de la norme		Résultats
Dimension	NF EN ISO 10545-2	N ≥ 15 cm		60 cm
Longueur / Largeur		± 0.60 %	± 2.00 mm	Conforme
Épaisseur		± 5.00 %	± 0.50 mm	Conforme
Rectitude des arêtes		± 0.50 %	± 1.50 mm	Conforme
Angularité		± 0.50 %	± 2.00 mm	Conforme
Courbure centrale		± 0.50 %	± 2.00 mm	Conforme
Courbure latérale		± 0.50 %	± 2.00 mm	Conforme
Voile		± 0.50 %	± 2.00 mm	Conforme
Absorption d'eau	NF EN ISO 10545-3	0.5 % MAX 0.6 %		0.03 %
Résistance à la flexion	NF EN ISO 10545-4	Force de rupture : ≥ 1300 N		≥ 4700
		Valeur min moyenne : 35 N/mm²		53 N/mm²
		Valeur min individuelle : 32 N/mm²		52 N/mm²
Résistance à l'abrasion de surface	NF EN ISO 10545-7	PEI Classe 1-5		4
Résistance thermique linéaire	NF EN ISO 10545-8	Résistant		Conforme
Résistance au choc thermique	NF EN ISO 10545-9	Résistant		Conforme
Résistance au tressaillage	NF EN ISO 10545-11	Résistant		Conforme
Résistance au gel	NF EN ISO 10545-12	Résistant		Conforme
Résistance aux acides et bases	NF EN ISO 10545-13	Résistant		Conforme
Résistance aux taches	NF EN ISO 10545-14	Résistant		Conforme
Echelle mohs	/	/		Conforme
Glissance	/	/		Conforme

120X60 cm

Full Pulido

Porcelaine

Epaisseur = 11.5 mm

Cristalline

Caractéristique technique	Norme ou référentiel	Spécification de la norme		Résultats
Dimension	NF EN ISO 10545-2	N ≥ 15 cm		60 cm
Longueur / Largeur		± 0.60 %	± 2.00 mm	Conforme
Epaisseur		± 5.00 %	± 0.50 mm	Conforme
Rectitude des arêtes		± 0.50 %	± 1.50 mm	Conforme
Angularité		± 0.50 %	± 2.00 mm	Conforme
Courbure centrale		± 0.50 %	± 2.00 mm	Conforme
Courbure latérale		± 0.50 %	± 2.00 mm	Conforme
Voile		± 0.50 %	± 2.00 mm	Conforme
Absorption d'eau	NF EN ISO 10545-3	0.5 % MAX 0.6 %		0.03 %
Résistance à la flexion	NF EN ISO 10545-4	Force de rupture : ≥ 1300 N		≥ 4700
		Valeur min moyenne : 35 N/mm²		53 N/mm²
		Valeur min individuelle : 32 N/mm²		52 N/mm²
Résistance à l'abrasion de surface	NF EN ISO 10545-7	PEI Classe 1-5		3
Résistance thermique linéaire	NF EN ISO 10545-8	Résistant		Conforme
Résistance au choc thermique	NF EN ISO 10545-9	Résistant		Conforme
Résistance au tressillage	NF EN ISO 10545-11	Résistant		Conforme
Résistance au gel	NF EN ISO 10545-12	Résistant		Conforme
Résistance aux acides et bases	NF EN ISO 10545-13	Résistant		Conforme
Résistance aux taches	NF EN ISO 10545-14	Résistant		Conforme
Echelle mohs	/	/		Conforme
Glissance	/	/		Conforme

Caractéristique technique	Norme ou référentiel	Spécification de la norme		Résultats
Dimension	NF EN ISO 10545-2	N ≥ 15 cm		60 cm
Longueur / Largeur		± 0.60 %	± 2.00 mm	Conforme
Epaisseur		± 5.00 %	± 0.50 mm	Conforme
Rectitude des arêtes		± 0.50 %	± 1.50 mm	Conforme
Angularité		± 0.50 %	± 2.00 mm	Conforme
Courbure centrale		± 0.50 %	± 2.00 mm	Conforme
Courbure latérale		± 0.50 %	± 2.00 mm	Conforme
Voile		± 0.50 %	± 2.00 mm	Conforme
Absorption d'eau	NF EN ISO 10545-3	0.5 % MAX 0.6 %		0.01 %
Résistance à la flexion	NF EN ISO 10545-4	Force de rupture : ≥ 1300 N		≥ 4700
		Valeur min moyenne : 35 N/mm²		53 N/mm²
		Valeur min individuelle : 32 N/mm²		52 N/mm²
Résistance à l'abrasion de surface	NF EN ISO 10545-7	PEI Classe 1-5		4
Résistance thermique linéaire	NF EN ISO 10545-8	Résistant		Conforme
Résistance au choc thermique	NF EN ISO 10545-9	Résistant		Conforme
Résistance au tressillage	NF EN ISO 10545-11	Résistant		Conforme
Résistance au gel	NF EN ISO 10545-12	Résistant		Conforme
Résistance aux acides et bases	NF EN ISO 10545-13	Résistant		Conforme
Résistance aux taches	NF EN ISO 10545-14	Résistant		Conforme
Echelle mohs	/	/		Conforme
Glissance	/	/		Conforme

160x80 cm

FULL PULIDO

Porcelaine

Epaisseur = 12 mm

Cristalline

Caractéristique technique	Norme ou référentiel	Spécification de la norme		Résultats
Dimension	NF EN ISO 10545-2	N ≥ 15 cm		60 cm
Longueur / Largeur		± 0.60 %	± 2.00 mm	Conforme
Epaisseur		± 5.00 %	± 0.50 mm	Conforme
Rectitude des arêtes		± 0.50 %	± 1.50 mm	Conforme
Angularité		± 0.50 %	± 2.00 mm	Conforme
Courbure centrale		± 0.50 %	± 2.00 mm	Conforme
Courbure latérale		± 0.50 %	± 2.00 mm	Conforme
Voile		± 0.50 %	± 2.00 mm	Conforme
Absorption d'eau	NF EN ISO 10545-3	0.5 % MAX 0.6 %		0.01 %
Résistance à la flexion	NF EN ISO 10545-4	Force de rupture : ≥ 1300 N		≥ 4700
		Valeur min moyenne : 35 N/mm²		53 N/mm²
		Valeur min individuelle : 32 N/mm²		52 N/mm²
Résistance à l'abrasion de surface	NF EN ISO 10545-7	PEI Classe 1-5		3
Résistance thermique linéaire	NF EN ISO 10545-8	Résistant		Conforme
Résistance au choc thermique	NF EN ISO 10545-9	Résistant		Conforme
Résistance au tressailage	NF EN ISO 10545-11	Résistant		Conforme
Résistance au gel	NF EN ISO 10545-12	Résistant		Conforme
Résistance aux acides et bases	NF EN ISO 10545-13	Résistant		Conforme
Résistance aux taches	NF EN ISO 10545-14	Résistant		Conforme
Echelle mohs	/	/		Conforme
Glissance	/	/		Conforme

120X19.5 cm MATTE

Porcelaine

Epaisseur = 11.5 mm

Faux Parquet

Caractéristique technique	Norme ou référentiel	Spécification de la norme		Résultats
Dimension	NF EN ISO 10545-2	N ≥ 15 cm		60 cm
Longueur / Largeur		± 0.60 %	± 2.00 mm	Conforme
Epaisseur		± 5.00 %	± 0.50 mm	Conforme
Rectitude des arêtes		± 0.50 %	± 1.50 mm	Conforme
Angularité		± 0.50 %	± 2.00 mm	Conforme
Courbure centrale		± 0.50 %	± 2.00 mm	Conforme
Courbure latérale		± 0.50 %	± 2.00 mm	Conforme
Voile		± 0.50 %	± 2.00 mm	Conforme
Absorption d'eau	NF EN ISO 10545-3	0.5 % MAX 0.6 %		0.03 %
Résistance à la flexion	NF EN ISO 10545-4	Force de rupture : ≥ 1300 N		≥ 4700
		Valeur min moyenne : 35 N/mm²		53 N/mm²
		Valeur min individuelle : 32 N/mm²		52 N/mm²
Résistance à l'abrasion de surface	NF EN ISO 10545-7	PEI Classe 1-5		5
Résistance thermique linéaire	NF EN ISO 10545-8	Résistant		Conforme
Résistance au choc thermique	NF EN ISO 10545-9	Résistant		Conforme
Résistance au tressillage	NF EN ISO 10545-11	Résistant		Conforme
Résistance au gel	NF EN ISO 10545-12	Résistant		Conforme
Résistance aux acides et bases	NF EN ISO 10545-13	Résistant		Conforme
Résistance aux taches	NF EN ISO 10545-14	Résistant		Conforme
Echelle mohs	/	/		Conforme
Glissance	/	/		Conforme

Packaging Details

Size	Weight	Box Weight	Pallet Weight	Capacity of m²	Box Capacity	Pallet Capacity
90x90 cm	20 Kg	40 Kg	1280 Kg	1.234	2 units (1,62 m²)	32 boxes (51.84 m²)
120x60 cm	19 Kg	38 Kg	1350 Kg	1.388	2 units (1,44 m²)	35 boxes (50,4 m²)
120x19.5cm	6 Kg	30 Kg	1350 Kg	4.273	6 units (1,40 m²)	45 boxes (63.18 m²)
160x80 cm	34 Kg	34 Kg	1360 Kg	1.781	1 units (1.28 m²)	40 boxes (51.2 m²)


Symbology



Porcelain



Wall & Floor



Rectrified



Anti-slip




Absobtion Level
 $e \leq 0.5\%$



Anti-bacterial



Polished



Matte



Frost Resistant



Scratch resistant



Glossy







Inkjet



notes:





ALBA • 60X120 CM • FULL PULIDO • RECTIFIED

